

**voran**<sup>®</sup>

machinery

# Fruit mills

## RM1,5 RM2,2 RM5,5



Fruit mills RM1,5 RM2,2 RM5,5 3/18


 English

# Powerful in every size

## RM1,5—Base model

Centrifugal mill with exchangeable stainless steel screens for setting the grinding fineness. Ideal for mashing for distilleries. Suitable for pomaceous fruit, stone fruit and berries.

Suitable for producing cold-pressed fruit and vegetable juices.



Plastic hopper

Rubber seal

Stainless steel mill and drain


Sturdy mill drive unit

Solid steel profile frame for added stability (optional)

## RM2,2—Compact and efficient

Centrifugal mill with exchangeable stainless steel screens for setting the grinding fineness. Ideal for mashing for distilleries. Suitable for pomaceous fruit, stone fruit and berries. The centrifugal mills RM2,2 and RM5,5 can also be used for processing quinces.

Suitable for producing cold-pressed fruit and vegetable juices.



### Achieve more with voran®

We recommend our combined WALC40/WAR65 and SA200 for higher performance in automated processes.

In addition to this, we also offer universal crushers for processing foods such as bread residues, grains or nuts.

### Experience meets innovation

For decades, voran® Holding has stood for quality, dynamics and professionalism in the food processing sector. As a financially stable mid-sized company, we currently employ around 160 workers in Pichl bei Wels— in the heart of Austria.

## RM5,5—The universal device

Centrifugal mills with replaceable screens. This makes it possible to achieve any desired mash fineness—ideal for the mashing for distilleries. The choice of the most diverse crushing tools and grinding screen enables this mill to also be used for the production of all kinds of fruit and vegetable juices.

Suitable for producing cold-pressed fruit and vegetable juices.

## Options


- Different screens
- Short rotor
- 60-mm foot extension for mash trough
- Corresponding mash troughs available in the sizes 200l (image) and 300l

Easy cleaning due to tiltable drain

Exchangeable screen without tools



Different screens can be used for different fruits. For example cutting screens and slotted screen each in different sizes for different fruit.



Sturdy mill drive unit

Rollers for easy movement


Rollers for easy movement

RM5,5


SP5

# Technical data


## RM1,5



## RM2,2



## RM5,5



Model	RM1,5	RM2,2	RM5,5
Rated throughput in kg/h	650	1,000	4,200
Rated throughput in kg/h	1.5	2.2	5.5
Electrical connection*	400V/50 Hz (three-phase, 10A)	400V/50 Hz (three-phase, 16 A)	400V/50 Hz (three-phase, 16 A)
Electrical fuse protection in A	10	16	16
Length/width/height dimensions in mm**	760/670/1,610	760/670/1,680	690/730/1,410
Filling height in mm***	1,610	1,680	1,410
High of the mash discharge in mm	690	650	470
Weight in kg (without/with frame)	34/48	45/59	88
Material	1.4301 / AISI 304	1.4301 / AISI 304	1.4301 / AISI 304
Scope of supply	Cutting screen 8 mm Round hole screen 16 mm	Cutting screen 9 mm Round hole screen 16 mm	Cutting screen 9 mm

\* Other mains voltages and designs on request \*\* with stand \*\*\* usage with stand

# voran.at

voran business lines

- machines
- machine construction
- plant construction
- facades

### How to find us



**voran** Maschinen GmbH  
 Production & Sales  
 Inn 7  
 A 4632 Pichl bei Wels  
 Austria | Europe  
 T +43(0) 72 49 / 444-0  
 F +43(0) 72 49 / 444-888  
 office@voran.at · www.voran.at

**Service hotline**  
 T +43(0) 72 49 / 444-200