

BANDPRESSE EBP 350



Bruttopreis:
88 681 €

Nettopreis:
72 098 €

Belt press with pneumatic belt tensioner, automatic belt control and high pressure belt cleaner (high pressure cleaner required). The mash is applied to the belt in a uniform layer by the adjustable metering box, at the end of the pressing sequence the pomace is removed from the belt by a scraper.

Processable materials

Apples, Pears, Quince, Beetroot, Carrots, Manioc, Vegetables. This represents just an example, based on different materials and a selection of fruit processed in practice.

Technical data

Height pomace ejector	775 mm
Height waste water drain	120 mm
Height juice outlet	485 mm
Connection for juice outlet	1
Connection for waste water	ø 48,3 mm
Water consumption for cleaning	2 l/min
Contact time	1 min
Belt speed	2 m/min
Juice yield	70 %



Material	1.4301 / AISI 304
Weight	355 kg
Conveyor width	240 mm
Strip length	4 900 mm
Belt width	350 mm
Discharge height	1 350 mm
Height	1 350 mm
Width	970 mm
Length	1 290 mm
Electrical protection	16 A
Connected load	400V 50Hz (dreiphasig)
Motor rating	Antriebsmotor 0,37 (0,5) Reinigungsmotor 0,12 (0,16) kW (PS)
Nominal rating kg/h	300 kg/h

GERÄTESPEZIFIKATIONEN

Gewicht: 350 kg

Produktionsland: Austria

Herstellergarantie: 1 rok

Elektrischer Anschluss:

Nennleistung kg / h: 300 kg owoców/h

Saftausbeute: bis zu 70 %

Abmessungen in cm (B x H x L): 87 x 135 x 128

Material: 1.4301 / AISI 304

Wysokość przyjęcia owoców: 126,5 cm





GALERIE

