

## BANDPRESSE EBP650



**Bruttopreis:**  
**333 990 €**

Nettopreis:  
271 537 €

Belt press with pneumatic belt tensioner, automatic belt control, high pressure belt cleaner and optional brush cleaning system for the belt. The mash is applied to the belt in a uniform layer by the adjustable metering box, at the end of the pressing sequence the pomace is removed from the belt by a scraper. In combination with our WALC and WAR65 washing systems, the level of the metering box is automatically supervised and controlled.

### Processable materials

Apples, Pears, Quince, Blueberries, Beetroot, Carrots, Manioc, Vegetables.

This represents just an example, based on different materials and a selection of fruit processed in practice.

### Technical data

Height pomace ejector	840 mm
Height waste water drain	210 mm
Height juice outlet	400 mm
Connection for juice outlet	2
Connection for waste water	ø 75 mm
Water consumption for cleaning	3 l/min
Contact time	1,9 - 3,8 min
Belt speed	0,9 - 1,8 m/min
Juice yield	75 %



Material	1.4301 / AISI 304
Weight	1 060 kg
Conveyor height	0 - 50 (stufenlos) mm
Conveyor width	450 mm
Strip length	7 200 mm
Belt width	650 mm
Discharge height	1 460 mm
Height	1 460 mm
Width	1 460 mm
Length	2 540 mm
Electrical protection	16 A
Connected load	400V 50Hz (dreiphasig)
Motor rating	Antriebsmotor 0,55 (0,75) Reinigungsmotor 0,12 (0,16) kW (PS)
Nominal rating kg/h	1 500 kg/h

## GERÄTESPEZIFIKATIONEN

Gewicht: 1060 kg

Produktionsland: Austria

Herstellergarantie: 1 rok

Elektrischer Anschluss:

Nennleistung kg / h: 1500 kg owoców/h

Saftausbeute:





GALERIE

