



FOOD HOSE ARMORVIN HNA



Soft PVC hose, reinforced with galvanized steel helix, for suction and delivery of food liquids. Working temperature -5 - 65 C.

Ø NOMINAL mm	Ø NOMINAL inch	Ø I.D. mm	Ø O.D. mm	VACUUM 23° m/H2O	WORKING PRESS. AT 23° R.1:3 bar	BURSTING PRESS. AT 23° bar	BENDING RADIUS mm	TOTAL THICKNESS mm	Ø STEEL WIRE mm	SPIRAL PITCH mm	SPIRAL DIRECTION	WEIGHT METER g/m	COIL LENGTH m
10	3/8	10	16	8.5	7	21	20	3	0.8	6.5	RIGHT	155	60





Ø NOMINAL mm	Ø NOMINAL inch	Ø I.D. mm	Ø O.D. mm	VACUUM 23° m/H2O	WORKING PRESS. AT 23° R.1:3 bar	BURSTING PRESS. AT 23° bar	BENDING RADIUS mm	TOTAL THICKNESS mm	Ø STEEL WIRE mm	SPIRAL PITCH mm	SPIRAL DIRECTION	WEIGHT METER g/m	COIL LENGTH m
12		12	18	8.5	7	21	25	3	0.8	7	right	180	60
14		14	20	8.5	6	18	30	3	0.8	7.5	right	200	60
16	5/8	16	22	8.5	6	18	35	3	0.8	7.5	right	225	60
18		18	24.5	8.5	6	18	40	3.25	1	8	right	280	60
19	3/4	19	26	8.5	5	15	45	3.5	1	8	right	310	60
20		20	27	8.5	5	15	50	3.5	1	8	right	340	60
22	7/8	22	29	8.5	5	15	55	3.5	1	8.5	right	360	60
25	1	25	33	8.5	5	15	60	4	1.4	13.5	right	510	60
30		30	39	8.5	4.5	13.5	70	4.5	1.4	13.5	right	600	60
32	1 1/4	32	41	8.5	4.5	13.5	75	4.5	1.4	13.5	right	650	60
35		35	44	8.5	4	12	80	4.5	1.4	14.5	right	730	60
38	1 1/2	38	47	8.5	4	12	90	4.5	1.6	15	right	800	30
40		40	49.5	8.5	3	9	95	4.75	1.6	15	right	870	30
45	1 3/4	45	55	8	3	9	110	5	1.8	15	right	1100	30
50	2	50	60	8	3	9	125	5	1.8	16	right	1200	30
55		55	66	8	3	9	130	5.5	1.8	16.5	right	1380	30
60		60	72	8	2.5	7.5	140	6	2.5	20	right	1800	30
63	2 1/2	63	75	8	2.5	7.5	150	6	2.5	20	right	1880	30
70		70	83	8	2	6	170	6.5	2.5	20	right	2200	30
75		75	84	7	2	6	200	7	2.5	20	right	2500	30
80		80	94	7	2	6	220	7	2.5	20	right	2700	30
90	3 1/2	90	104	7	2	6	260	7	2.5	20	right	2900	30
100		100	114	7	2	6	300	7	2.5	19	right	3250	30





PRODUCT VARIANTS

VARIANT	PRODUCT CODE	PRICE
DN 25/1mb		Gross price: 34 € Net price: 28 €
DN 40/1 mb		Gross price: 60 € Net price: 49 €

