

## STORAGE TANK FOR OIL



Stainless steel tank with conical bottom for storage, sedimentation. The tank can be equipped with a cooling/heating jacket.

Type	Capacity (L)	Capacity (US gal)	Diameter (mm)	Total Height (mm)	Shell Height (mm)	Bottom	Top
ZU800A8	800	176	797	2299	1500	B6	T1
ZU1000A8	1000	220	797	2799	2000	B6	T1
ZU1250A8	1250	275	797	3299	2500	B6	T1
ZU1500A8	1500	330	797	3799	3000	B6	T1
ZU800A10	800	176	956	1810	1000	B6	T1
ZU950A10	950	209	956	2060	1250	B6	T1
ZU1050A10	1050	231	956	2210	1400	B6	T1
ZU1150A10	1150	253	956	2310	1500	B6	T1

Type	Capacity (L)	Capacity (US gal)	Diameter (mm)	Total Height (mm)	Shell Height (mm)	Bottom	Top
ZU1500A10	1500	330	956	2810	2000	B6	T1
ZU1850A10	1850	407	956	3310	2500	B6	T1
ZU2200A10	2200	484	956	3810	3000	B6	T1
ZU1350A11	1350	297	1116	2122	1250	B6	T1
ZU1600A11	1600	352	1116	2372	1500	B6	T1
ZU2050A11	2050	451	1116	2872	2000	B6	T1
ZU2550A11	2550	561	1116	3372	2500	B6	T1
ZU3050A11	3050	671	1116	3872	3000	B6	T1
ZU4000A11	4000	880	1116	4872	4000	B6	T1
ZU2100A13	2100	462	1275	2433	1500	B6	T1
ZU2750A13	2750	605	1275	2933	2000	B6	T1
ZU3350A13	3350	737	1275	3433	2500	B6	T1
ZU4000A13	4000	880	1275	3933	3000	B6	T1
ZU5300A13	5300	1166	1275	4933	4000	B6	T1
ZU2550A14	2550	561	1402	2492	1500	B6	T1
ZU3350A14	3350	737	1402	2992	2000	B6	T1
ZU4100A14	4100	902	1402	3492	2500	B6	T1
ZU4900A14	4900	1078	1402	3992	3000	B6	T1
ZU6400A14	6400	1408	1402	4992	4000	B6	T1
ZU4350A16	4350	957	1593	3056	2000	B6	T1
ZU5350A16	5350	1177	1593	3556	2500	B6	T1
ZU6350A16	6350	1397	1593	4056	3000	B6	T1
ZU8350A16	8350	1837	1593	5056	4000	B6	T1
ZU10350A16	10350	2277	1593	6056	5000	B6	T1
ZU5350A18	5350	1177	1752	3106	2000	B6	T1
ZU6550A18	6550	1441	1752	3606	2500	B6	T1



Type	Capacity (L)	Capacity (US gal)	Diameter (mm)	Total Height (mm)	Shell Height (mm)	Bottom	Top
ZU7750A18	7750	1705	1752	4106	3000	B6	T1
ZU10150A18	10150	2233	1752	5106	4000	B6	T1
ZU6400A19	6400	1408	1911	3229	2000	B6	T2
ZU7850A19	7850	1727	1911	3729	2500	B6	T2
ZU9250A19	9250	2035	1911	4229	3000	B6	T2

## GALERIE

